

FULL QUALITY ASSURANCE CERTIFICATE

Certificate No.:
138447-2013-CE-FIN-ACCREDIA

Initial date:
08 October, 2007

Valid:
04 July, 2016 – 03 July, 2019

This certificate consists of 2 pages

This is to certify that the quality system of

VEXVE OY

Pajakatu 11, 38200 Sastamala, Finland

has been assessed and found to comply with respect to the conformity assessment procedure described in:

ANNEX III MODULE H OF DIRECTIVE 97/23/EC ON PRESSURE EQUIPMENT

This certificate is valid for the following scope:

Type of Pressure Equipment

Pressure Accessories

Product Name

Ball and butterfly valves

Place and date:
Vimercate 14 April, 2016



SGQ N° 003 A
SGA N° 003 D
SGE N° 007 M
SCR N° 004 F

EMAS N° 009 P
PRD N° 003 B
PRS N° 094 C
SSI N° 002 G

Membro di MLA EA per gli schemi di accreditamento SGQ, SGA, PRD, PRS, ISP, GHG, LAB e LAT, di MLA IAF per gli schemi di accreditamento SGQ, SGA, SSI, FSM e PRD e di MRA ILAC per gli schemi di accreditamento LAB, MED, LAT e ISP

For the notified body 0496:
**DNV GL Business Assurance Italia
S.r.l.**

Nicola Privato
Management Representative

Certificate No.: 138447-2013-CE-FIN-ACCREDIA
 Place and date: Vimercate 14 April, 2016
 Revision No: 01

Jurisdiction

Application of Directive 97/23/EC and Decreto Legislativo n.93 of 25 February 2000

Certificate history

Revision	Description	Issue date
00	Original certificate as Notified Body 0496 (replaces the certificate issued by Det Norske Veritas AS, Norway)	04 July, 2013
01	Recertification	14 April, 2016

Products covered by this certificate

Product name	Product description	Type of material	Applied product standard
Ball valves Butterfly valves	PN 10 – PN 40 PN 10 – PN 25	Fully welded construction. Produced in carbon steels and austenitic steels	EN 13445 EN 13480

Sites covered by this certificate

Site name	Site Address	Audited by	Date	Report ref
Vexve Oy Vexve Oy	Pajakatu 11, 38200 Sastamala, Finland Riihenkalliontie 10, 23800 Laitila, Finland	Timo Pyhäranta	11-02-2016	Assessment Report dated 12-02-2016

Applications/limitations

- Valves with copper in the end pipes are limited in size to DN 50.
- Design temperature below creep temperature (time dependent).
- Design pressure less or equal to 60 barg.
- Fluids in group 1 and 2, except valves with copper in the end pipes which are limited to fluid group 2.

Terms and conditions for the certificate

Valid terms and conditions are found in the DNV GL's PED Certification Rules

END OF CERTIFICATE